



TP1 Polyclonal Antibody

Catalog No	BYab-02127
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	IHC;IF;ELISA
Gene Name	TEP1
Protein Name	Telomerase protein component 1
Immunogen	The antiserum was produced against synthesized peptide derived from human TEP1. AA range:171-220
Specificity	TP1 Polyclonal Antibody detects endogenous levels of TP1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	IHC: 1/100 - 1/300. ELISA: 1/10000.. IF 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	TEP1; TLP1; TP1; Telomerase protein component 1; Telomerase-associated protein 1; Telomerase protein 1; p240; p80 telomerase homolog
Observed Band	
Cell Pathway	Nucleus . Chromosome, telomere.
Tissue Specificity	Ubiquitous.
Function	function:Component of the telomerase ribonucleoprotein complex that is essential for the replication of chromosome termini. Also component of the ribonucleoprotein vaults particle, a multi-subunit structure involved in nucleo-cytoplasmic transport. Responsible for the localizing and stabilizing vault RNA (vRNA) association in the vault ribonucleoprotein particle. Binds to TERC.,similarity:Contains 1 NACHT domain.,similarity:Contains 1 TROVE domain.,similarity:Contains 21 WD repeats.,similarity:Contains 4 TEP1 N-terminal repeats.,subunit:Component of the telomerase holoenzyme complex at least composed of TERT, DKC1, WDR79/TCAB1, NOP10, NHP2, GAR1, TEP1, EST1A, POT1 and a telomerase RNA template component (TERC). Component

Nanjing BYabscience technology Co.,Ltd



of the vault ribonucleoprotein particle, at least composed of MVP, PARP4 and one or more vault RNAs (vRNAs). Binds to VAULTRC1, VAULTRC2 and VAULTRC4/hvg4 vRNAs.,tissue

Background

This gene product is a component of the ribonucleoprotein complex responsible for telomerase activity which catalyzes the addition of new telomeres on the chromosome ends. The telomerase-associated proteins are conserved from ciliates to humans. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2016],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Immunohistochemistry analysis of paraffin-embedded human lung carcinoma, using TEP1 Antibody. The picture on the right is blocked with the synthesized peptide.