



# ZNF596 Polyclonal Antibody

|                                  |   |
|----------------------------------|---|
| <b>Catalog No</b>                | BYab-02195  |
| <b>Isotype</b>                   | IgG   |
| <b>Reactivity</b>                | Human;Rat;Mouse;  |
| <b>Applications</b>              | WB;IHC;IF;ELISA   |
| <b>Gene Name</b>                 | ZNF596  |
| <b>Protein Name</b>              | Zinc finger protein 596   |
| <b>Immunogen</b>                 | The antiserum was produced against synthesized peptide derived from human ZNF596. AA range:261-310  |
| <b>Specificity</b>               | ZNF596 Polyclonal Antibody detects endogenous levels of ZNF596 protein.   |
| <b>Formulation</b>               | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.   |
| <b>Source</b>                    | Polyclonal, Rabbit,IgG  |
| <b>Purification</b>              | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.   |
| <b>Dilution</b>                  | WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/5000.. IF 1:50-200   |
| <b>Concentration</b>             | 1 mg/ml   |
| <b>Purity</b>                    | ≥90%  |
| <b>Storage Stability</b>         | -20°C/1 year  |
| <b>Synonyms</b>                  | ZNF596; Zinc finger protein 596   |
| <b>Observed Band</b>             | 58kD  |
| <b>Cell Pathway</b>              | Nucleus .   |
| <b>Tissue Specificity</b>        | Testis,   |
| <b>Function</b>                  | function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 11 C2H2-type zinc fingers., |
| <b>Background</b>                | function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 11 C2H2-type zinc fingers., |
| <b>matters needing attention</b> | Avoid repeated freezing and thawing!  |


Nanjing BYabscience technology Co.,Ltd




### Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.


## Products Images



Western Blot analysis of Jurkat cells using ZNF596 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using ZNF596 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat cells, using ZNF596 Antibody. The lane on the right is blocked with the synthesized peptide.

Nanjing BYabscience technology Co.,Ltd



**Nanjing BYabscience technology Co.,Ltd**

网址: [www.njbybio.com](http://www.njbybio.com)

官方热线: 025-5229-8998

监督电话: 15950492658