



# ZNHIT1 Polyclonal Antibody

<b>Catalog No</b>	BYab-02206
<b>Isotype</b>	IgG
<b>Reactivity</b>	Human;Mouse
<b>Applications</b>	WB;ELISA
<b>Gene Name</b>	ZNHIT1
<b>Protein Name</b>	Zinc finger HIT domain-containing protein 1
<b>Immunogen</b>	Synthesized peptide derived from ZNHIT1 . at AA range: 40-120
<b>Specificity</b>	ZNHIT1 Polyclonal Antibody detects endogenous levels of ZNHIT1 protein.
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Dilution</b>	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	ZNHIT1; CGBP1; ZNFN4A1; Zinc finger HIT domain-containing protein 1; Cyclin-G1-binding protein 1; Zinc finger protein subfamily 4A member 1; p18 Hamlet
<b>Observed Band</b>	18-22kD
<b>Cell Pathway</b>	Nucleus .
<b>Tissue Specificity</b>	Expressed abundantly in liver, but weakly in skeletal muscle, ovary and small intestine.
<b>Function</b>	function:Seems to play a role in p53-mediated apoptosis induction.,induction:Induced by DNA damage.,PTM:Phosphorylated on Thr by MAPK11 or MAPK14.,PTM:Stres-induced ZNHIT1 is mainly regulated at the level of protein.,similarity:Belongs to the ZNHIT1 family.,similarity:Contains 1 HIT-type zinc finger.,subunit:Interacts with MAPK11 and MAPK14. Component of the chromatin-remodeling SRCAP complex composed of at least SRCAP, DMAP1, RUVBL1, RUVBL2, ACTL6A, YEATS4, ACTR6 and ZNHIT1.,

Nanjing BYabscience technology Co.,Ltd



**Background**

function: Seems to play a role in p53-mediated apoptosis induction., induction: Induced by DNA damage., PTM: Phosphorylated on Thr by MAPK11 or MAPK14., PTM: Stres-induced ZNHIT1 is mainly regulated at the level of protein., similarity: Belongs to the ZNHIT1 family., similarity: Contains 1 HIT-type zinc finger., subunit: Interacts with MAPK11 and MAPK14. Component of the chromatin-remodeling SRCAP complex composed of at least SRCAP, DMAP1, RUVBL1, RUVBL2, ACTL6A, YEATS4, ACTR6 and ZNHIT1.,


**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

**Products Images**



Western Blot analysis of various cells using ZNHIT1 Polyclonal Antibody diluted at 1:1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000