





## TRP14 Polyclonal Antibody

Catalog No	BYab-02855
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	TXNDC17
Protein Name	Thioredoxin domain-containing protein 17
Immunogen	Synthesized peptide derived from TRP14 . at AA range: 20-100
Specificity	TRP14 Polyclonal Antibody detects endogenous levels of TRP14 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	TXNDC17; TXNL5; Thioredoxin domain-containing protein 17; 14 kDa thioredoxin-related protein; TRP14; Protein 42-9-9; Thioredoxin-like protein 5
Observed Band	13kD
Cell Pathway	Cytoplasm .
Tissue Specificity	Ubiquitously expressed in cell lines.
Function	function:Disulfide reductase. May participate in various redox reactions through the reversible oxidation of its active center dithiol to a disulfide and catalyze dithiol-disulfide exchange reactions. Modulates TNF-alpha signaling and NF-kappa-B activation. Has peroxidase activity and may contribute to the elimination of cellular hydrogen peroxide.,PTM:The oxidized protein is reduced by TRXR1.,similarity:Belongs to the thioredoxin family.,similarity:Contains 1 thioredoxin domain.,subunit:Interacts with TRXR1 and DYNLL1/DNCL1.,tissue specificity:Ubiquitously expressed in cell lines.,
Background	function:Disulfide reductase. May participate in various redox reactions through the reversible oxidation of its active center dithiol to a disulfide and catalyze

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



dithiol-disulfide exchange reactions. Modulates TNF-alpha signaling and
NF-kappa-B activation. Has peroxidase activity and may contribute to the
elimination of cellular hydrogen peroxide.,PTM:The oxidized protein is reduced by
TRXR1, similarity:Belongs to the thioredoxin family, similarity:Contains 1
thioredoxin domain., subunit:Interacts with TRXR1 and DYNLL1/DNCL1., tissue
specificity:Ubiquitously expressed in cell lines.,


## matters needing attention

Avoid repeated freezing and thawing!

## **Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western Blot analysis of HL-60, Raji, K562, SW480, A549, 22RV-1 cells using TRP14 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

Nanjing BYabscience technology Co.,Ltd