



# VSV-G-Tag Polyclonal Antibody

<b>Catalog No</b>	BYab-04402
<b>Isotype</b>	IgG
<b>Reactivity</b>	Species independent
<b>Applications</b>	WB; ELISA
<b>Gene Name</b>	VSV-G Tag
<b>Protein Name</b>	VSV-G Tag
<b>Immunogen</b>	A synthetic peptide corresponding to aa 501-511 of vesicular stomatitis virus glycoprotein (VSV-G). This vector is a pseudo lentiviral vector.
<b>Specificity</b>	Rabbit polyclonal to VSV-G tag
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
<b>Source</b>	Polyclonal, Rabbit,IgG
<b>Purification</b>	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
<b>Dilution</b>	WB 1:1000-5000, ELISA(peptide)1:5000-20000
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	≥90%
<b>Storage Stability</b>	-20°C/1 year
<b>Synonyms</b>	Vesicular stomatitis virus glycoprotein tag SV epitope tag,VSV-G epitope tag,vsVG tag
<b>Observed Band</b>	
<b>Cell Pathway</b>	
<b>Tissue Specificity</b>	
<b>Function</b>	
<b>Background</b>	Vesicular stomatitis virus (VSV), an enveloped RNA virus from the Rhabdoviridae family, is released from the plasma membrane of host cells by a process called budding. The glycoprotein (VSV-g) contains a domain in its extracellular membrane proximal stem that appears to be needed for efficient VSV budding.
<b>matters needing attention</b>	Avoid repeated freezing and thawing!


Nanjing BYabscience technology Co.,Ltd



### Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western blot analysis of VSV-G-Tag fusion protein at 0.05-0.15ug, 4° over night, secondary antibody(cat: RS0002) was diluted at 1:10000, 37° 1hour.