



## NKX62 Polyclonal Antibody

Catalog No	BYab-05665
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	NKX6-2 GTX NKX6B
Protein Name	Homeobox protein Nkx-6.2 (Homeobox protein NK-6 homolog B)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	NKX62 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
• • •	4 magazinal
Concentration	1 mg/ml
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year  30kD
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year  30kD  Nucleus .
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90%  -20°C/1 year  30kD  Nucleus .  Highest expression in brain.  similarity:Contains 1 homeobox DNA-binding domain.,tissue specificity:Highest
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90%  -20°C/1 year  30kD  Nucleus .  Highest expression in brain.  similarity:Contains 1 homeobox DNA-binding domain.,tissue specificity:Highest expression in brain., similarity:Contains 1 homeobox DNA-binding domain.,tissue specificity:Highest
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90%  -20°C/1 year  30kD  Nucleus .  Highest expression in brain.  similarity:Contains 1 homeobox DNA-binding domain.,tissue specificity:Highest expression in brain.,  similarity:Contains 1 homeobox DNA-binding domain.,tissue specificity:Highest expression in brain.,


## Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658





## **Products Images**



Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4°over night

Nanjing BYabscience technology Co.,Ltd