



PLTP Polyclonal Antibody

| Catalog No | BYab-05934 |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| lsotype | lgG |
| Reactivity | Human;Mouse |
| Applications | WB;ELISA |
| Gene Name | PLTP |
| Protein Name | Phospholipid transfer protein (Lipid transfer protein II) |
| Immunogen | Synthesized peptide derived from human protein . at AA range: 180-260 |
| Specificity | PLTP Polyclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 ELISA 1:5000-20000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | 54kD |
| Cell Pathway | Secreted . Nucleus . Nuclear export is XPO1/CRM1-dependent |
| Tissue Specificity | Widely expressed. Highest level of expression in the ovary, thymus and placenta, with moderate levels found in the pancreas, small intestine, testis, lung and prostrate. Low level expression in the kidney, liver and spleen, with very low levels found in the heart, colon, skeletal muscle, leukocytes and brain. Expressed in the cortical neurons. |
| Function | function:Converts HDL into larger and smaller particles. May play a key role in extracellular phospholipid transport and modulation of hdl particles.,similarity:Belongs to the BPI/LBP/Plunc superfamily. BPI/LBP family.,tissue specificity:Wide tissue distribution. Placenta > pancreas > lung > kidney > heart > liver > skeletal muscle > brain., |
| | |
| Background | The protein encoded by this gene is one of at least two lipid transfer proteins found in human plasma. The encoded protein transfers phospholipids from triglyceride-rich lipoproteins to high density lipoprotein (HDL). In addition to |



国内优质抗体供应商 精准的 WB 检测服务

24H 在线服务,欢迎咨询

| | regulating the size of HDL particles, this protein may be involved in cholesterol metabolism. At least two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008], |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |

Products Images

Nanjing BYabscience technology Co.,Ltd