



PPM1H Polyclonal Antibody

Catalog NoBYab-05984IsotypeIgGReactivityHuman;Rat;MouseApplicationsWB;ELISAGene NamePPM1H ARHCL1 KIAA1157 URCC2Protein NameProtein phosphatase 1H (EC 3.1.3.16)ImmunogenSynthesized peptide derived from human protein . at AA range: 290-370SpecificityPPM1H Polyclonal Antibody detects endogenous levels of protein.FormulationLiquid in PBS containing 50% glycerol, and 0.02% sodium azide.SourcePolyclonal, Rabbit,IgGPurificationThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000 ELISA 1:5000-20000Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsObserved Band56kDCell PathwayNucleus . Cytoplasm .Tissue SpecificityBrain,
Reactivity Human;Rat;Mouse Applications WB;ELISA Gene Name PPM1H ARHCL1 KIAA1157 URCC2 Protein Name Protein phosphatase 1H (EC 3.1.3.16) Immunogen Synthesized peptide derived from human protein . at AA range: 290-370 Specificity PPM1H Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Applications WB;ELISA Gene Name PPM1H ARHCL1 KIAA1157 URCC2 Protein Name Protein phosphatase 1H (EC 3.1.3.16) Immunogen Synthesized peptide derived from human protein . at AA range: 290-370 Specificity PPM1H Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Gene Name PPM1H ARHCL1 KIAA1157 URCC2 Protein Name Protein phosphatase 1H (EC 3.1.3.16) Immunogen Synthesized peptide derived from human protein . at AA range: 290-370 Specificity PPM1H Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Protein Name Protein phosphatase 1H (EC 3.1.3.16) Immunogen Synthesized peptide derived from human protein . at AA range: 290-370 Specificity PPM1H Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, lgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Immunogen Synthesized peptide derived from human protein . at AA range: 290-370 Specificity PPM1H Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, lgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Specificity PPM1H Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit,lgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, lgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms 56kD Cell Pathway Nucleus . Cytoplasm .
affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Nucleus . Cytoplasm .
Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Nucleus . Cytoplasm .
Storage Stability -20°C/1 year Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Synonyms Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Observed Band 56kD Cell Pathway Nucleus . Cytoplasm .
Cell Pathway Nucleus . Cytoplasm .
Tissue Specificity Brain,
Function catalytic activity:A phosphoprotein + H(2)O = a protein + phosphate.,similarity:Belongs to the PP2C family.,similarity:Contains 1 PP2C-lik domain.,
Background catalytic activity:A phosphoprotein + H(2)O = a protein + phosphate.,similarity:Belongs to the PP2C family.,similarity:Contains 1 PP2C-lik domain.,
matters needing Avoid repeated freezing and thawing! attention

Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



ı	Isaq	P S	ua	ae	stic	าทร
u	Jau	C 3	uч	uc.	วแง	ノロコ

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images	

Nanjing BYabscience technology Co.,Ltd