



SH23A Polyclonal Antibody

| | |
|----------------------------------|--|
| Catalog No | BYab-06164 |
| Isotype | IgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB;ELISA |
| Gene Name | SH2D3A NSP1 UNQ175/PRO201 |
| Protein Name | SH2 domain-containing protein 3A (Novel SH2-containing protein 1) |
| Immunogen | Synthesized peptide derived from part region of human protein |
| Specificity | SH23A Polyclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 ELISA 1:5000-20000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | 63kD |
| Cell Pathway | intracellular, |
| Tissue Specificity | Weakly expressed in placenta, fetal kidney, fetal lung, adult pancreas, adult kidney and adult lung. |
| Function | function:May play a role in JNK activation.,PTM:Phosphorylated on tyrosine.,similarity:Contains 1 SH2 domain.,subunit:Interacts with BCAR1.,tissue specificity:Weakly expressed in placenta, fetal kidney, fetal lung, adult pancreas, adult kidney and adult lung., |
| Background | function:May play a role in JNK activation.,PTM:Phosphorylated on tyrosine.,similarity:Contains 1 SH2 domain.,subunit:Interacts with BCAR1.,tissue specificity:Weakly expressed in placenta, fetal kidney, fetal lung, adult pancreas, adult kidney and adult lung., |
| matters needing attention | Avoid repeated freezing and thawing! |

Nanjing BYabscience technology Co.,Ltd



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images