



ZN577 Polyclonal Antibody

Catalog No BYab-06560 Isotype IgG Reactivity Human;Rat;Mouse; Applications WB;ELISA Gene Name ZNF577 Protein Name Zinc finger protein 577 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN577 Polycional Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity 290% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation, similarity:Belongs to the krueppel C2H2-type zinc-finger protein family, similarity:Contains 1 KRAB domain, similarity:Contains 8 C2H2-type zinc fingers. Background Avoid repeated freezing and		
Reactivity Human;Rat;Mouse; Applications WB;ELISA Gene Name ZNF577 Protein Name Zinc finger protein 577 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN577 Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation, similarity:Belongs to the krueppel C2H2-type zinc-finger protein family, similarity:Contains 1 KRAB domain, similarity:Contains 8 C2H2-type zinc fingers., Matolic repeated freezing and thawing!	Catalog No	BYab-06560
Applications WB;ELISA Gene Name ZNF577 Protein Name Zinc finger protein 577 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN577 Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-2000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation ,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family, similarity:Contains 1 KRAB domain ,similarity:Contains 3 C2H2-type zinc fingers.	Isotype	IgG
Gene Name ZNF577 Protein Name Zinc finger protein 577 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN577 Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus. Tissue Specificity Cerebellum, Prostate, Skin, Function function: May be involved in transcriptional regulation., similarity: Belongs to the krueppel C2H2-type zinc-finger protein family, similarity: Contains 1 KRAB domain., similarity: Contains 8 C2H2-type zinc fingers., Background function: May be involved in transcriptional regulation., similarity: Belongs to the krueppel C2H2-type zinc-finger protein family, similarity: Contains 1 KRAB domain., similarity: Contains 8 C2H2-type zinc fingers., Matters needing Avoid repeated freezing and thawing!	Reactivity	Human;Rat;Mouse;
Protein Name Zinc finger protein 577 Immunogen Synthesized peptide derived from part region of human protein Specificity ZN577 Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum, Prostate, Skin, Function function:May be involved in transcriptional regulation., similarity:Belongs to the krueppel C2H2-type zinc-finger protein family , similarity:Contains 1 KRAB domain., similarity:Contains 8 C2H2-type zinc-fingers., Background function:May be involved in transcriptional regulation., similarity:Contains 1 KRAB domain., similarity:Contains 8 C2H2-type zinc-finger protein family , similarity:Contains 1 KRAB domain., similarity:Contains 8 C2H2-type zinc-fingers.,	Applications	WB;ELISA
Immunogen Synthesized peptide derived from part region of human protein Specificity ZN577 Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation similarity:Contains 1 KRAB domain similarity:Contains 8 C2H2-type zinc fingers. Background function:May be involved in transcriptional regulation similarity:Belongs to the krueppel C2H2-type zinc-finger protein family similarity:Contains 1 KRAB domain similarity:Contains 8 C2H2-type zinc fingers. matters needing Avoid repeated freezing and thawing!	Gene Name	ZNF577
Specificity ZN577 Polyclonal Antibody detects endogenous levels of protein. Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Protein Name	Zinc finger protein 577
Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation, similarity:Belongs to the krueppel C2H2-type zinc-finger protein family, similarity:Contains 1 KRAB domain, similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family, similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Immunogen	Synthesized peptide derived from part region of human protein
Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulationsimilarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Specificity	ZN577 Polyclonal Antibody detects endogenous levels of protein.
Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus. Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation,similarity:Belongs to the krueppel C2H2-type zinc-finger protein familysimilarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Matters needing Avoid repeated freezing and thawing!	Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 ELISA 1:5000-20000 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family .similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family .similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Matters needing Avoid repeated freezing and thawing!	Source	Polyclonal, Rabbit,IgG
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms -20°C/1 year Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Purification	•
Purity ≥90% Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Dilution	WB 1:500-2000 ELISA 1:5000-20000
Storage Stability -20°C/1 year Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Concentration	1 mg/ml
Synonyms Observed Band 53kD Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Purity	≥90%
Observed Band Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Storage Stability	-20°C/1 year
Cell Pathway Nucleus . Tissue Specificity Cerebellum,Prostate,Skin, function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Synonyms	
Tissue Specificity Cerebellum,Prostate,Skin, function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Observed Band	53kD
Function function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Cell Pathway	Nucleus .
krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KŘAB domain.,similarity:Contains 8 C2H2-type zinc fingers., Background function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KŘAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Tissue Specificity	Cerebellum,Prostate,Skin,
function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers., matters needing Avoid repeated freezing and thawing!	Function	function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers.,
	Background	function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB
	matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd







Usage suggestion	IS
------------------	----

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

	Produc	ts Images		

Nanjing BYabscience technology Co.,Ltd