



SETB2 Polyclonal Antibody

Catalog No	BYab-06657
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	SETDB2 C13orf4 CLLD8 KMT1F
Protein Name	Histone-lysine N-methyltransferase SETDB2 (EC 2.1.1.43) (Chronic lymphocytic leukemia deletion region gene 8 protein) (Lysine N-methyltransferase 1F) (SET domain bifurcated 2)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	SETB2 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	79kD
Cell Pathway	Nucleus . Chromosome .
Tissue Specificity	Ubiquitous. Highest expression in heart, testis and ovary.
Function	catalytic activity:S-adenosyl-L-methionine + histone L-lysine = S-adenosyl-L-homocysteine + histone N(6)-methyl-L-lysine.,function:Probable histone methyltransferase.,similarity:Belongs to the histone-lysine methyltransferase family.,similarity:Contains 1 MBD (methyl-CpG-binding) domain.,similarity:Contains 1 pre-SET domain.,similarity:Contains 1 SET domain.,tissue specificity:Ubiquitous. Highest expression in heart, testis and ovary.,
Background	SET domain bifurcated 2(SETDB2) Homo sapiens This gene encodes a member of a family of proteins that contain a methyl-CpG-binding domain (MBD) and a SET domain and function as histone methyltransferases. This protein is

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



	recruited to heterochromatin and plays a role in the regulation of chromosome segregation. This region is commonly deleted in chronic lymphocytic leukemia. Naturally-occuring readthrough transcription occurs from this gene to the downstream PHF11 (PHD finger protein 11) gene. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2016],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images	

Nanjing BYabscience technology Co.,Ltd