



SMRCD Polyclonal Antibody

Catalog No	BYab-06691
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	SMARCAD1 KIAA1122
Protein Name	SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily A containing DEAD/H box 1 (EC 3.6.4.12) (ATP-dependent helicase 1) (hHEL1)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	SMRCD Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	112kD
Cell Pathway	Nucleus. Chromosome. Colocalizes with PCNA at replication forks during S phase. Recruited to double-strand breaks (DSBs) sites of DNA damage.
Tissue Specificity	Isoform 1 is expressed ubiquitously. Isoform 3 is expressed mainly in skin and esophagus. Expressed in fibroblasts and keratinocytes (at protein level) (PubMed:29409814).
Function	function:Probable ATP-dependent DNA helicase.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the SNF2/RAD54 helicase family.,similarity:Contains 1 helicase ATP-binding domain.,similarity:Contains 1 helicase C-terminal domain.,similarity:Contains 2 CUE domains.,tissue specificity:Ubiquitous.,
Background	This gene encodes a member of the SNF subfamily of helicase proteins. The encoded protein plays a critical role in the restoration of heterochromatin organization and propagation of epigenetic patterns following DNA replication by mediating histone H3/H4 deacetylation. Mutations in this gene are associated with

Nanjing BYabscience technology Co.,Ltd



adermatoglyphia. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Dec 2011],

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images