



KLOTB Polyclonal Antibody

| Catalog No | BYab-06937 |
|---|---|
| Isotype | IgG |
| Reactivity | Human;Mouse |
| Applications | WB;ELISA |
| Gene Name | KLB |
| Protein Name | Beta-klotho (BKL) (BetaKlotho) (Klotho beta-like protein) |
| Immunogen | Synthesized peptide derived from part region of human protein |
| Specificity | KLOTB Polyclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 ELISA 1:5000-20000 |
| Concentration | 1 mg/ml |
| | · · · · · · · · · · · · · · · · · · · |
| Purity | ≥90% |
| | |
| Purity | ≥90% |
| Purity Storage Stability | ≥90% |
| Purity Storage Stability Synonyms | ≥90% -20°C/1 year |
| Purity Storage Stability Synonyms Observed Band | ≥90% -20°C/1 year 114kD |
| Purity Storage Stability Synonyms Observed Band Cell Pathway | ≥90% -20°C/1 year 114kD Cell membrane ; Single-pass type III membrane protein . Liver,Testis, domain:Contains 2 glycosyl hydrolase 1 regions. However, the first region lacks |
| Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity | ≥90% -20°C/1 year 114kD Cell membrane; Single-pass type III membrane protein. Liver,Testis, domain:Contains 2 glycosyl hydrolase 1 regions. However, the first region lacks the essential Glu active site residue at position 241, and the second one lacks the essential Glu active site residue at position 889. These domains are therefore predicted to be inactive.,function:Contributes to the transcriptional repression of cholesterol 7-alpha-hydroxylase (CYP7A1), the rate-limiting enzyme in bile acid synthesis. Probably inactive as a glycosidase. Increases the ability of FGFR1 and FGFR4 to bind FGF21.,similarity:Belongs to the glycosyl hydrolase 1 family.,similarity:Belongs to the glycosyl hydrolase 1 family. Klotho |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



| | essential Glu active site residue at position 889. These domains are therefore predicted to be inactive.,function:Contributes to the transcriptional repression of cholesterol 7-alpha-hydroxylase (CYP7A1), the rate-limiting enzyme in bile acid synthesis. Probably inactive as a glycosidase. Increases the ability of FGFR1 and FGFR4 to bind FGF21.,similarity:Belongs to the glycosyl hydrolase 1 family.,similarity:Belongs to the glycosyl hydrolase 1 family. Klotho subfamily.,subunit:Interacts with FGFR1 and FGFR4., |
|---------------------------|--|
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |
| | |

| Products Images | |
|-----------------|--|
| | |
| | |
| | |
| | |
| | |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658