



TIMD4 Polyclonal Antibody

Catalog No	BYab-07075
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	TIMD4 TIM4
Protein Name	T-cell immunoglobulin and mucin domain-containing protein 4 (TIMD-4) (T-cell membrane protein 4) (TIM-4)
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	TIMD4 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	41kD
Cell Pathway	Cell membrane ; Single-pass type I membrane protein . Secreted, extracellular exosome .
Tissue Specificity	Brain,
Function	caution:The sequence shown here is derived from an Ensembl automatic analysis pipeline and should be considered as preliminary data.,domain:Recognizes phosphatidyl serine via its immunoglobulin domain.,function:Phosphatidylserine receptor that enhances the engulfment of apoptotic cells. Involved in regulating T-cell proliferation and lymphotoxin signaling. Ligand for HAVCR1/TIMD1.,similarity:Belongs to the immunoglobulin superfamily. TIM family.,similarity:Contains 1 Ig-like V-type (immunoglobulin-like) domain.,
Background	caution:The sequence shown here is derived from an Ensembl automatic analysis pipeline and should be considered as preliminary data.,domain:Recognizes phosphatidyl serine via its immunoglobulin domain.,function:Phosphatidylserine receptor that enhances the engulfment of apoptotic cells. Involved in regulating

Nanjing BYabscience technology Co.,Ltd



T-cell proliferation and lymphotoxin signaling. Ligand for HAVCR1/TIMD1.,similarity:Belongs to the immunoglobulin superfamily. TIM family.,similarity:Contains 1 Ig-like V-type (immunoglobulin-like) domain.,


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot analysis of lysates from Jarkat cells, primary antibody was diluted at 1:1000, 4°over night