



MEPE Polyclonal Antibody

| Catalog No | BYab-07221 |
|--------------------|--|
| Isotype | lgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB;ELISA |
| Gene Name | MEPE |
| Protein Name | Matrix extracellular phosphoglycoprotein (Osteoblast/osteocyte factor 45) (OF45) |
| Immunogen | Synthesized peptide derived from human protein . at AA range: 20-100 |
| Specificity | MEPE Polyclonal Antibody detects endogenous levels of protein. |
| Formulation | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | WB 1:500-2000 ELISA 1:5000-20000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | |
| Observed Band | 57kD |
| Cell Pathway | Secreted, extracellular space, extracellular matrix . |
| Tissue Specificity | Expressed by osteoblasts (PubMed:10945470, PubMed:11414762, PubMed:15108058). Expressed by stem cells in dental pulp (PubMed:15153459). Expressed by mesenchymal cells in dental papilla and dental pulp (PubMed:18547474, PubMed:22341070). Expressed in teeth, specifically in decidious dentin (PubMed:20581062). Expressed in ondotoblasts (PubMed:12489176). Expressed in salivary glands (PubMed:15329369). Secreted from oncogenic hypophosphatemic tumors (PubMed:11414762). |
| Function | function:Seems to play a role in mineralization.,tissue specificity:Expressed by osteoblasts. Secreted from oncogenic hypophosphataemic tumours., |
| Background | This gene encodes a secreted calcium-binding phosphoprotein that belongs to the small integrin-binding ligand, N-linked glycoprotein (SIBLING) family of proteins. Members of this family are components of the extracellular matrix of bone and dentin and regulate bone mineralization. Deficiency of a similar protein |
| | Nanjing BYabscience technology Co.,Ltd |



国内优质抗体供应商

精准的 WB 检测服务 24H 在线服务, 欢迎咨询

in mouse results in increased bone mass. Mice lacking this gene are resistant to aging-related trabecular bone loss. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2014], Avoid repeated freezing and thawing! matters needing attention

This product can be used in immunological reaction related experiments. For Usage suggestions more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co., Ltd