



THNS2 Polyclonal Antibody

BYab-07291 IgG Human;Mouse;Rat WB;ELISA
Human;Mouse;Rat
WR·ELISΔ
VVD,ELIOA
THNSL2
Threonine synthase-like 2 (TSH2) (EC 4.2.3) (Secreted osteoclastogenic factor of activated T-cells) (SOFAT)
Synthesized peptide derived from human protein . at AA range: 91-140
THNS2 Polyclonal Antibody detects endogenous levels of protein.
Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Polyclonal, Rabbit,IgG
The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
WB 1:500-2000 ELISA 1:5000-20000
1 mg/ml
≥90%
-20°C/1 year
53kD
[Isoform SOFAT]: Secreted. Secreted by activated T-cells via a calcineurin-independent pathway.
Brain,Colon,Ovarian carcinoma,Skin,Tongue,
cofactor:Pyridoxal phosphate.,function:Acts as a catabolic phospho-lyase on both gamma- and beta-phosphorylated substrates. Degrades O-phospho-threonine (PThr) to alpha-ketobutyrate, ammonia and phosphate.,similarity:Belongs to the serine/threonine dehydratase family.,
This gene encodes a threonine synthase-like protein. A similar enzyme in mouse can catalyze the degradation of O-phospho-homoserine to a-ketobutyrate, phosphate, and ammonia. This protein also has phospho-lyase activity on both gamma and beta phosphorylated substrates. In mouse an alternatively spliced form of this protein has been shown to act as a cytokine and can induce the production of the inflammatory cytokine IL6 in osteoblasts. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2011],

Nanjing BYabscience technology Co.,Ltd







attention	Avoid repeated freezing and triawing:
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd