



RBP10 Polyclonal Antibody

Catalog No	BYab-07686
Isotype	lgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	RANBP10 KIAA1464
Protein Name	Ran-binding protein 10 (RanBP10)
Immunogen	Synthesized peptide derived from part region of human protein AA range: 353-403
Specificity	RBP10 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	68kD
Cell Pathway	Cytoplasm, cytosol . Nucleus . Predominantly cytoplasmic.
Tissue Specificity	Broadly expressed, with highest levels in skeletal muscle.
Function	domain:The SPRY domain mediates the interaction with MET.,function:May act as an adapter protein to couple membrane receptors to intracellular signaling pathways. In contrast to RANBP9, does not interact with Sos and does not activate the Ras pathway.,similarity:Belongs to the RANBP9/10 family.,similarity:Contains 1 B30.2/SPRY domain.,similarity:Contains 1 CTLH domain.,similarity:Contains 1 LisH domain.,subunit:Interacts with RAN. Interacts with the HGF receptor MET.,tissue specificity:Broadly expressed, with highest levels in skeletal muscle.,
Background	RAN binding protein 10(RANBP10) Homo sapiens RAN is a small GTPase involved in the assembly of microtubules to form mitotic spindles. The protein

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商

精准的 WB 检测服务 (2)

24H 在线服务,欢迎咨询



	encoded by this gene is a cytoplasmic guanine nucleotide exchange factor (GEF) that binds beta-tubulin and has GEF activity toward RAN. The encoded protein plays a role in the formation of noncentrosomal microtubules. In addition, this protein may be involved in the regulation of D(1) receptor signaling by protein kinase C delta and protein kinase C gamma. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Feb 2016],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Nanjing BYabscience technology Co.,Ltd