



MFN1 rabbit pAb

| Catalog No | BYab-07898 |
|--------------------|---|
| Isotype | IgG |
| Reactivity | Human; Mouse;Rat |
| Applications | WB |
| Gene Name | MFN1 |
| Protein Name | MFN1 |
| Immunogen | Synthesized peptide derived from human MFN1 AA range: 163-213 |
| Specificity | This antibody detects endogenous levels of MFN1 at Human/Mouse/Rat |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.12% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Dilution | WB 1:500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | Mitofusin-1 (EC 3.6.5) (Fzo homolog) (Transmembrane GTPase MFN1) |
| Observed Band | 85kD |
| Cell Pathway | Mitochondrion outer membrane ; Multi-pass membrane protein .; [Isoform 2]: Cytoplasm . |
| Tissue Specificity | Detected in kidney and heart (at protein level) (PubMed:12759376). Ubiquitous (PubMed:11950885, PubMed:12759376). Expressed at slightly higher level in kidney and heart (PubMed:12759376). Isoform 2 may be overexpressed in some tumors, such as lung cancers (PubMed:11751411). |
| Function | catalytic activity:GTP + H(2)O = GDP + phosphate.,function:Essential transmembrane GTPase, which mediates mitochondrial fusion. Fusion of mitochondria occurs in many cell types and constitutes an important step in mitochondria morphology, which is balanced between fusion and fission. MFN1 acts independently of the cytoskeleton. Overexpression induces the formation of mitochondrial networks.,similarity:Belongs to the mitofusin family.,subunit:Forms homomultimers and heteromultimers with MFN2. Multimerization, which is probably mediated by the coiled coil region, may play an essential role in |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



| | multiprotein complex.,tissue specificity:Ubiquitous. Expressed at slightly higher level in kidney and heart. Isoform 2 may be overexpressed in some tumors, such as lung cancers., |
|---------------------------|--|
| Background | The protein encoded by this gene is a mediator of mitochondrial fusion. This protein and mitofusin 2 are homologs of the Drosophila protein fuzzy onion (Fzo). They are mitochondrial membrane proteins that interact with each other to facilitate mitochondrial targeting. [provided by RefSeq, Jul 2008], |
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |

Products Images



Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658