



# ZN124 rabbit pAb

|                           |   |
|---------------------------|---|
| <b>Catalog No</b>         | BYab-07900  |
| <b>Isotype</b>            | IgG   |
| <b>Reactivity</b>         | Human;Rat;Mouse;  |
| <b>Applications</b>       | WB  |
| <b>Gene Name</b>          | ZNF124  |
| <b>Protein Name</b>       | ZN124   |
| <b>Immunogen</b>          | Synthesized peptide derived from human ZN124 AA range: 190-240  |
| <b>Specificity</b>        | This antibody detects endogenous levels of ZN124 at Human   |
| <b>Formulation</b>        | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.14% sodium azide.   |
| <b>Source</b>             | Polyclonal, Rabbit,IgG  |
| <b>Purification</b>       | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.   |
| <b>Dilution</b>           | WB 1:500-2000   |
| <b>Concentration</b>      | 1 mg/ml   |
| <b>Purity</b>             | ≥90%  |
| <b>Storage Stability</b>  | -20°C/1 year  |
| <b>Synonyms</b>           | Zinc finger protein 124 (Zinc finger protein HZF-16)  |
| <b>Observed Band</b>      | 38kD  |
| <b>Cell Pathway</b>       | Nucleus .   |
| <b>Tissue Specificity</b> |   |
| <b>Function</b>           | function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 8 C2H2-type zinc fingers.,  |
| <b>Background</b>         | This gene encodes a protein with an amino-terminal KRAB-A box and multiple repeated Kruppel-type (C2H2) zinc finger motifs at its carboxy terminus. The encoded protein may function as a transcription factor. Expression of this gene is increased after vascular endothelial growth factor (VEGF) stimulation in human leukemia cell lines and results in inhibition of apoptotic cell death induced by irradiation or exposure to etoposide. Alternative splicing results in multiple transcript variants encoding distinct proteins. [provided by RefSeq, Jul 2014], |

Nanjing BYabscience technology Co.,Ltd




**matters needing attention**

Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western blot analysis of lysates from KB cells, primary antibody was diluted at 1:1000, 4° over night