



## DB123 rabbit pAb

Catalog No	BYab-08501
Isotype	lgG
Reactivity	Human;Rat;Mouse;
Applications	IHC;IF
Gene Name	DEFB123 DEFB23 UNQ1963/PRO4485
Protein Name	DB123
Immunogen	Synthesized peptide derived from human DB123 AA range: 1-51
Specificity	This antibody detects endogenous levels of DB123 at Human
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	IHC-p 1: 50-200. IF 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Synonyms Observed Band	
	Secreted .
Observed Band	Secreted . Abundant expression in the male reproductive tract only. Abundant expressed in testis and the caput region of epididymis, but low in the corpus region.
Observed Band Cell Pathway	Abundant expression in the male reproductive tract only. Abundant expressed in
Observed Band Cell Pathway Tissue Specificity	Abundant expression in the male reproductive tract only. Abundant expressed in testis and the caput region of epididymis, but low in the corpus region.
Observed Band Cell Pathway Tissue Specificity Function	<ul> <li>Abundant expression in the male reproductive tract only. Abundant expressed in testis and the caput region of epididymis, but low in the corpus region.</li> <li>function:Has antibacterial activity .,similarity:Belongs to the beta-defensin family.,</li> <li>Defensins are cysteine-rich cationic polypeptides that are important in the host immunologic response to invading microorganisms. This antimicrobial protein is secreted and is a member of the beta defensin protein family. Beta defensin genes are found in several clusters throughout the genome, with this gene mapping to a cluster at 20g11.1. Two transcript variants, one protein-coding and</li> </ul>

## Nanjing BYabscience technology Co.,Ltd

官方热线: 025-5229-8998



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).

Nanjing BYabscience technology Co.,Ltd