




## CTR1 rabbit pAb

Catalog No	BYab-08571
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	SLC7A1 ATRC1 ERR REC1L
Protein Name	CTR1
Immunogen	Synthesized peptide derived from human CTR1 AA range: 298-348
Specificity	This antibody detects endogenous levels of CTR1 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Concentration	· ·
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90%  -20°C/1 year  Cell membrane ; Multi-pass membrane protein .  Ubiquitous.  function:High-affinity, low capacity permease involved in the transport of the cationic amino acids (arginine, lysine and ornithine) in non-hepatic tissues. May
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90%  -20°C/1 year  Cell membrane ; Multi-pass membrane protein .  Ubiquitous.  function:High-affinity, low capacity permease involved in the transport of the cationic amino acids (arginine, lysine and ornithine) in non-hepatic tissues. May also function as an ecotropic retroviral leukemia receptor.,similarity:Belongs to the amino acid-polyamine-organocation (APC) superfamily. Cationic amino acid
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90%  -20°C/1 year  Cell membrane ; Multi-pass membrane protein .  Ubiquitous.  function:High-affinity, low capacity permease involved in the transport of the cationic amino acids (arginine, lysine and ornithine) in non-hepatic tissues. May also function as an ecotropic retroviral leukemia receptor.,similarity:Belongs to the amino acid-polyamine-organocation (APC) superfamily. Cationic amino acid

Nanjing BYabscience technology Co.,Ltd








**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Western blot analysis of lysates from KB cells, primary antibody was diluted at 1:1000, 4° over night

Nanjing BYabscience technology Co.,Ltd