



DCNP1 rabbit pAb

Catalog No	BYab-10257
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB
Gene Name	DCNP1 C5orf20
Protein Name	Dendritic cell nuclear protein 1
Immunogen	Synthesized peptide derived from human DCNP1 AA range: 27-77
Specificity	This antibody detects endogenous levels of human DCNP1
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000
Concentration	1 mg/ml
Concentration Purity	1 mg/ml ≥90%
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90%
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year Nucleus . Cytoplasm . Particularly on the periphery. Colocalizes with corticotropin-releasing hormone (CRH) in parvocellular neurons in the paraventricular nucleus Expressed in neurons of the paraventricular nucleus, thalamus and occipital cortex and in glial cells (at protein level). Predominantly expressed in dendritic cells. Detected in brain and skeletal muscle. Highly expressed in mature dendritic
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year Nucleus . Cytoplasm . Particularly on the periphery. Colocalizes with corticotropin-releasing hormone (CRH) in parvocellular neurons in the paraventricular nucleus Expressed in neurons of the paraventricular nucleus, thalamus and occipital cortex and in glial cells (at protein level). Predominantly expressed in dendritic cells. Detected in brain and skeletal muscle. Highly expressed in mature dendritic cells and at a lower level in immature dendritic cells. Expressed in paraventricular nucleus, supraoptic nucleus and nucleus basalis of Meynert. Strongly expressed in paraventricular nucleus of depressed patients compared to controls. Not
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year Nucleus . Cytoplasm . Particularly on the periphery. Colocalizes with corticotropin-releasing hormone (CRH) in parvocellular neurons in the paraventricular nucleus Expressed in neurons of the paraventricular nucleus, thalamus and occipital cortex and in glial cells (at protein level). Predominantly expressed in dendritic cells. Detected in brain and skeletal muscle. Highly expressed in mature dendritic cells and at a lower level in immature dendritic cells. Expressed in paraventricular nucleus, supraoptic nucleus and nucleus basalis of Meynert. Strongly expressed in paraventricular nucleus of depressed patients compared to controls. Not

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658







attention	Avoid repeated freezing and triawing:
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images