



HEMGN rabbit pAb

Catalog No	BYab-09527		
Isotype	IgG		
Reactivity	Human;Mouse;Rat		
Applications	WB		
Gene Name	HEMGN EDAG NDR PRO1037 PRO1620		
Protein Name	Hemogen (Erythroid differentiation-associated gene protein) (EDAG-1) (Hemopoietic gene protein) (Negative differentiation regulator protein)		
Immunogen	Synthesized peptide derived from human HEMGN AA range: 419-469		
Specificity	This antibody detects endogenous levels of human HEMGN		
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Source	Polyclonal, Rabbit,IgG		
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.		
Dilution	WB 1:1000-2000		
Concentration	1 mg/ml		
Purity	≥90%		
Storage Stability	-20°C/1 year		
0			
Synonyms			
Observed Band			
	Nucleus .		
Observed Band	Nucleus . Expressed in hematopoietic precursor cells, thyroid and spermatids (at protein level). Expressed in bone marrow, testis, thymus. Expressed in prostate cancer and ovarian cancer. Also expressed in thymus and thyroid tumors, non-Hodgkin lymphoma, various leukemia cell lines, peripheral blood mononuclear cells (PBMCs) and bone marrow mononuclear cells (BMMCs) of patients with leukemia.		
Observed Band Cell Pathway	Expressed in hematopoietic precursor cells, thyroid and spermatids (at protein level). Expressed in bone marrow, testis, thymus. Expressed in prostate cancer and ovarian cancer. Also expressed in thymus and thyroid tumors, non-Hodgkin lymphoma, various leukemia cell lines, peripheral blood mononuclear cells (PBMCs) and bone marrow mononuclear cells (BMMCs) of patients with		
Observed Band Cell Pathway Tissue Specificity	Expressed in hematopoietic precursor cells, thyroid and spermatids (at protein level). Expressed in bone marrow, testis, thymus. Expressed in prostate cancer and ovarian cancer. Also expressed in thymus and thyroid tumors, non-Hodgkin lymphoma, various leukemia cell lines, peripheral blood mononuclear cells (PBMCs) and bone marrow mononuclear cells (BMMCs) of patients with		
Observed Band Cell Pathway Tissue Specificity Function	Expressed in hematopoietic precursor cells, thyroid and spermatids (at protein level). Expressed in bone marrow, testis, thymus. Expressed in prostate cancer and ovarian cancer. Also expressed in thymus and thyroid tumors, non-Hodgkin lymphoma, various leukemia cell lines, peripheral blood mononuclear cells (PBMCs) and bone marrow mononuclear cells (BMMCs) of patients with		

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



ı	Isaq	P S	ua	ae	stic	าทร
u	Jau	C 3	uч	uc.	วแง	ノロコ

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images						

Nanjing BYabscience technology Co.,Ltd