



TRI40 rabbit pAb

Catalog No	BYab-10983
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	TRIM40 RNF35
Protein Name	TRI40
Immunogen	Synthesized peptide derived from human TRI40 AA range: 85-135
Specificity	This antibody detects endogenous levels of TRI40 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Storage Stability Synonyms	-20°C/1 year
	-20°C/1 year
Synonyms	-20°C/1 year intracellular,IkappaB kinase complex,
Synonyms Observed Band	intracellular,IkappaB kinase complex,
Synonyms Observed Band Cell Pathway	intracellular,IkappaB kinase complex, Highly expressed in normal gastrointestinal epithelia but that is down-regulated in gastrointestinal carcinomas and chronic inflammatory lesions of the gastrointestinal tract.
Synonyms Observed Band Cell Pathway Tissue Specificity	intracellular,IkappaB kinase complex, Highly expressed in normal gastrointestinal epithelia but that is down-regulated in gastrointestinal carcinomas and chronic inflammatory lesions of the gastrointestinal tract. similarity:Belongs to the TRIM/RBCC family.,similarity:Contains 1 B box-type zinc finger.,similarity:Contains 1 RING-type zinc finger., This gene encodes a member of the tripartite motif (TRIM) protein family. The encoded protein may play a role as a negative regulator against inflammation and
Synonyms Observed Band Cell Pathway Tissue Specificity Function	intracellular,IkappaB kinase complex, Highly expressed in normal gastrointestinal epithelia but that is down-regulated in gastrointestinal carcinomas and chronic inflammatory lesions of the gastrointestinal tract. similarity:Belongs to the TRIM/RBCC family.,similarity:Contains 1 B box-type zinc finger.,similarity:Contains 1 RING-type zinc finger., This gene encodes a member of the tripartite motif (TRIM) protein family. The encoded protein may play a role as a negative regulator against inflammation and carcinogenesis in the gastrointestinal tract. Alternatively spliced transcript variants that encode different protein isoforms have been described. [provided by RefSeq,

Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western blot analysis of lysates from Jarkat cells, primary antibody was diluted at 1:1000, 4° over night

Nanjing BYabscience technology Co.,Ltd