



S38A3 rabbit pAb

Catalog No	BYab-11633
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB
Gene Name	SLC38A3 G17 NAT1 SN1 SNAT3
Protein Name	S38A3
Immunogen	Synthesized peptide derived from human S38A3 AA range: 128-178
Specificity	This antibody detects endogenous levels of S38A3 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1: 500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Synonyms Observed Band	
	Cell membrane ; Multi-pass membrane protein .
Observed Band	
Observed Band Cell Pathway	
Observed Band Cell Pathway Tissue Specificity	Cell membrane; Multi-pass membrane protein. function:Sodium-dependent amino acid/proton antiporter. Mediates electrogenic cotransport of glutamine and sodium ions in exchange for protons. Also recognizes histidine, asparagine and alanine. May mediate amino acid transport in either direction under physiological conditions. May play a role in nitrogen metabolism and synaptic transmission.,similarity:Belongs to the amino
Observed Band Cell Pathway Tissue Specificity Function	Cell membrane; Multi-pass membrane protein. function:Sodium-dependent amino acid/proton antiporter. Mediates electrogenic cotransport of glutamine and sodium ions in exchange for protons. Also recognizes histidine, asparagine and alanine. May mediate amino acid transport in either direction under physiological conditions. May play a role in nitrogen metabolism and synaptic transmission.,similarity:Belongs to the amino

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western blot analysis of lysates from A549 cells, primary antibody was diluted at 1:1000, 4° over night

Nanjing BYabscience technology Co.,Ltd