



KCTD5 rabbit pAb

Catalog No	BYab-11743
Isotype	IgG
Reactivity	Human; Mouse;Rat
Applications	WB;ELISA;IHC
Gene Name	KCTD5
Protein Name	KCTD5
Immunogen	Synthesized peptide derived from human KCTD5 AA range: 170-220
Specificity	This antibody detects endogenous levels of KCTD5 at Human/Mouse/Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000;IHC-p 1:50-300; ELISA 2000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Observed Band	
Cell Pathway	Cytoplasm, cytosol . Cytoplasm . Nucleus. Predominantly cytoplasmic, translocated to the nucleus upon interaction with Rep proteins
Tissue Specificity	
Function	similarity:Contains 1 BTB (POZ) domain.,subcellular location:Predominantly cytoplasmic, translocated to the nucleus upon interaction with Rep proteins.,subunit:Interacts with adeno-associated virus 2 REP proteins.,
Background	
matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images		
	Western blot analysis of lysates from DU145 cells, primary antibody was diluted at 1:1000, 4°over night	
	Immunohistochemical analysis of paraffin-embedded human liver cancer. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).	

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658