



TSLP rabbit pAb

| | |
|---------------------------|--|
| Catalog No | BYab-12435 |
| Isotype | IgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB; ELISA |
| Gene Name | TSLP |
| Protein Name | TSLP |
| Immunogen | Synthesized peptide derived from human TSLP AA range: 91-140 |
| Specificity | This antibody detects endogenous levels of Human TSLP |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Dilution | WB 1:1000-2000 ELISA 1:5000-20000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | Thymic stromal lymphopoietin |
| Observed Band | |
| Cell Pathway | Secreted . |
| Tissue Specificity | Isoform 1 is expressed in a number of tissues including heart, liver and prostate. Isoform 2 is the predominant form in keratinocytes of oral mucosa, skin and in salivary glands. It is secreted into saliva. |
| Function | |
| Background | function:Cytokine that induces the release of T cell-attracting chemokines from monocytes and, in particular, enhances the maturation of CD11c(+) dendritic cells. Can induce allergic inflammation by directly activating mast cells.,induction:Released by primary epithelial cells in response to certain microbial products, physical injury, or inflammatory cytokines.,subunit:Interacts with a receptor composed of CRLF2 and IL7R.,tissue specificity:Expressed in a number of tissues including heart, liver and prostate., |

Nanjing BYabscience technology Co.,Ltd



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images