



ASPH rabbit pAb

Catalog No	BYab-12494
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB; ELISA
Gene Name	ASPH
Protein Name	ASPH
Immunogen	Synthesized peptide derived from human ASPH
Specificity	This antibody detects endogenous levels of Human, Mouse, Rat ASPH
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:1000-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
D	≥90%
Purity	
Storage Stability	-20°C/1 year
•	
Storage Stability	-20°C/1 year Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate
Storage Stability Synonyms	-20°C/1 year Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate
Storage Stability Synonyms Observed Band	-20°C/1 year Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass type II membrane protein . Isoform 1 is detected in all tissues tested. Isoform 8 is mainly expressed in pancreas, heart, brain, kidney and liver. Isoform 8 is expressed in kidney (at
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass type II membrane protein . Isoform 1 is detected in all tissues tested. Isoform 8 is mainly expressed in pancreas, heart, brain, kidney and liver. Isoform 8 is expressed in kidney (at
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year Aspartyl/asparaginyl beta-hydroxylase (EC 1.14.11.16;Aspartate beta-hydroxylase;ASP beta-hydroxylase;Peptide-aspartate beta-dioxygenase) [Isoform 1]: Endoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 4]: Sarcoplasmic reticulum membrane; Single-pass type II membrane protein .; [Isoform 8]: Endoplasmic reticulum membrane; Single-pass type II membrane protein . Isoform 1 is detected in all tissues tested. Isoform 8 is mainly expressed in pancreas, heart, brain, kidney and liver. Isoform 8 is expressed in kidney (at

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



ı	Isaq	P S	ua	ae	stic	าทร
u	Jau	C 3	uч	uc.	วแง	ノロコ

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images						

Nanjing BYabscience technology Co.,Ltd