



## CD5 Polyclonal Antibody

Catalog No         BYab-13905           Isotype         IgG           Reactivity         Human;Mouse;Rat           Applications         WB;ELISA           Gene Name         CD5           Protein Name         T-cell surface glycoprotein CD5           Immunogen         The antiserum was produced against synthesized peptide derived from human CD5. AA range:421-470           Specificity         CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.           Formulation         Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.           Source         Polyclonal, Rabbit, IgG           Purification         The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.           Dilution         Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.           Concentration         1 mg/ml           Purity         ≥90%           Storage Stability         -20°C/1 year           Synonyms         CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5           Observed Band         60kD           Cell Pathway         Cell membrane; Single-pass type I membrane protein.           Tissue Specificity         Lymphocyte, Pancreas, Tonsil,           Function         function:May act as a recepto		
Reactivity  Human;Mouse;Rat  Applications  WB;ELISA  Gene Name  CD5  Protein Name  T-cell surface glycoprotein CD5  Immunogen  The antiserum was produced against synthesized peptide derived from human CD5. AA range;421-470  Specificity  CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.  Formulation  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source  Polyclonal, Rabbit,IgG  Purification  The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution  Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration  1 mg/ml  Purity  ≥90%  Storage Stability  -20°C/1 year  Synonyms  CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band  60kD  Cell Pathway  Cell membrane; Single-pass type I membrane protein.  Tissue Specificity  Lymphocyte,Pancreas,Tonsil,  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Avoid repeated freezing and thawing!	Catalog No	BYab-13905
Applications WB;ELISA  Gene Name CD5  Protein Name T-cell surface glycoprotein CD5  Immunogen The antiserum was produced against synthesized peptide derived from human CD5. AA range:421-470  Specificity CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Polyclonal, Rabbit,IgG  Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background Avoid repeated freezing and thawing!	Isotype	IgG
Gene Name CD5 Protein Name T-cell surface glycoprotein CD5  Immunogen The antiserum was produced against synthesized peptide derived from human CD5. AA range:421-470 Specificity CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Polyclonal, Rabbit,IgG  Purlification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration 1 mg/ml  Purity 290% Storage Stability -20°C/1 year Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5 Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2, similarity:Contains 3 SRCR domains.,  Background Avoid repeated freezing and thawing!	Reactivity	Human;Mouse;Rat
Protein Name T-cell surface glycoprotein CD5 Immunogen The antiserum was produced against synthesized peptide derived from human CD5. AA range:421-470 Specificity CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG  Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration 1 mg/ml  Purity ≥90% Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5 Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2, similarity:Contains 3 SRCR domains.,  Background Avoid repeated freezing and thawing!	Applications	WB;ELISA
Immunogen The antiserum was produced against synthesized peptide derived from human CD5. AA range:421-470 Specificity CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Polyclonal, Rabbit, IgG  Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration 1 mg/ml  Purity 290% Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LVB-2., similarity:Contains 3 SRCR domains.,  Background Avoid repeated freezing and thawing!	Gene Name	CD5
CD5. AA range:421-470  Specificity CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.  Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Polyclonal, Rabbit, IgG  Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LyB-2.,similarity:Contains 3 SRCR domains.,  Background Avoid repeated freezing and thawing!	Protein Name	T-cell surface glycoprotein CD5
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Source Polyclonal, Rabbit, IgG  Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil, Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains., matters needing Avoid repeated freezing and thawing!	Immunogen	
Source       Polyclonal, Rabbit, IgG         Purification       The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.         Dilution       Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.         Concentration       1 mg/ml         Purity       ≥90%         Storage Stability       -20°C/1 year         Synonyms       CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5         Observed Band       60kD         Cell Pathway       Cell membrane; Single-pass type I membrane protein.         Tissue Specificity       Lymphocyte,Pancreas,Tonsil,         Function       function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,         Background       function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,         matters needing       Avoid repeated freezing and thawing!	Specificity	CD5 Polyclonal Antibody detects endogenous levels of CD5 protein.
Purification  The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Dilution  Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration  1 mg/ml  Purity  ≥90%  Storage Stability  -20°C/1 year  Synonyms  CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band  60kD  Cell Pathway  Cell membrane; Single-pass type I membrane protein.  Tissue Specificity  Lymphocyte,Pancreas,Tonsil,  Function  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background  Avoid repeated freezing and thawing!	Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen.  Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  matters needing Avoid repeated freezing and thawing!	Source	Polyclonal, Rabbit,IgG
applications.  Concentration 1 mg/ml  Purity ≥90%  Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  matters needing Avoid repeated freezing and thawing!	Purification	•
Purity ≥90%  Storage Stability -20°C/1 year  Synonyms CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  matters needing Avoid repeated freezing and thawing!	Dilution	
Storage Stability  -20°C/1 year  CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band  60kD  Cell Pathway  Cell membrane; Single-pass type I membrane protein.  Tissue Specificity  Lymphocyte,Pancreas,Tonsil,  Function  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Matters needing  Avoid repeated freezing and thawing!	Concentration	1 mg/ml
Synonyms  CD5; LEU1; T-cell surface glycoprotein CD5; Lymphocyte antigen T1/Leu-1; CD antigen CD5  Observed Band  60kD  Cell Pathway  Cell membrane; Single-pass type I membrane protein.  Tissue Specificity  Lymphocyte, Pancreas, Tonsil,  Function  function: May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2., similarity: Contains 3 SRCR domains.,  Background  function: May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2., similarity: Contains 3 SRCR domains.,  Matters needing  Avoid repeated freezing and thawing!	Purity	≥90%
antigen CD5  Observed Band 60kD  Cell Pathway Cell membrane; Single-pass type I membrane protein.  Tissue Specificity Lymphocyte,Pancreas,Tonsil,  Function function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Matters needing Avoid repeated freezing and thawing!	Storage Stability	-20°C/1 year
Cell Pathway  Cell membrane; Single-pass type I membrane protein.  Lymphocyte,Pancreas,Tonsil,  function  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Matters needing  Avoid repeated freezing and thawing!	Synonyms	
Tissue Specificity  Lymphocyte,Pancreas,Tonsil,  function  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  matters needing  Avoid repeated freezing and thawing!	Observed Band	60kD
Function  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  matters needing  Avoid repeated freezing and thawing!	Cell Pathway	Cell membrane; Single-pass type I membrane protein.
CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Background  function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  matters needing  Avoid repeated freezing and thawing!	Tissue Specificity	Lymphocyte,Pancreas,Tonsil,
Background function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,  Avoid repeated freezing and thawing!	Function	function:May act as a receptor in regulating T-cell proliferation. CD5 interacts with CD72/LYB-2.,similarity:Contains 3 SRCR domains.,
matters needing Avoid repeated freezing and thawing! attention	Background	function: May act as a receptor in regulating T-cell proliferation. CD5 interacts with
	matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658