



ATP5S Polyclonal Antibody

| Catalog No | BYab-16393 |
|--------------------|--|
| Isotype | IgG |
| Reactivity | Human;Mouse |
| Applications | WB;ELISA |
| Gene Name | ATP5S |
| Protein Name | ATP synthase subunit s mitochondrial |
| Immunogen | The antiserum was produced against synthesized peptide derived from human ATP5S. AA range:21-70 |
| Specificity | ATP5S Polyclonal Antibody detects endogenous levels of ATP5S protein. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | ATP5S; ATPW; ATP synthase subunit s; mitochondrial; ATP synthase-coupling factor B; FB; Mitochondrial ATP synthase regulatory component factor B |
| Observed Band | 23kD |
| Cell Pathway | Mitochondrion . Mitochondrion inner membrane . |
| Tissue Specificity | Brain,Hippocampus,Uterus, |
| Function | caution:It is uncertain whether Met-1 or Met-16 is the initiator.,function:Involved in regulation of mitochondrial membrane ATP synthase. Necessary for H(+) conduction of ATP synthase.,similarity:Belongs to the ATP synthase subunit s family.,subunit:Monomer. Associates with ATP synthase., |
| Background | This gene encodes a subunit of mitochondrial ATP synthase. Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. ATP synthase is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, comprising the proton channel. This |
| | |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商


精准的 WB 检测服务

24H 在线服务, 欢迎咨询



| | subunit is necessary for the energy transduction activity of the ATP synthase complexes. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008], |
|---------------------------|--|
| matters needing attention | Avoid repeated freezing and thawing! |
| Usage suggestions | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel. |

Products Images



Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商

精准的 WB 检测服务

24H 在线服务,欢迎咨询



 Western blot analysis of lysates from HT-29 cells, using ATP5S Antibody. The lane on the right is blocked with the synthesized peptide.

nce technology Co.,Ltd


025-5229-8998

DEC



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询





Nanjing BYabscience technology Co.,Ltd