



Cadherin-23 Polyclonal Antibody

Catalog No	BYab-16932
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	IF;ELISA
Gene Name	CDH23
Protein Name	Cadherin-23
Immunogen	The antiserum was produced against synthesized peptide derived from human CDH23. AA range:61-110
Specificity	Cadherin-23 Polyclonal Antibody detects endogenous levels of Cadherin-23 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications.
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	CDH23; KIAA1774; KIAA1812; Cadherin-23; Otocadherin
Observed Band	
Cell Pathway	Cell membrane ; Single-pass type I membrane protein .
Tissue Specificity	Particularly strong expression in the retina (PubMed:11138009). Found also in the cochlea.
Function	alternative products:Additional isoforms seem to exist,disease:Defects in CDH23 are a cause of Usher syndrome type 1D/F (USH1DF) [MIM:601067]. USH1DF patients are heterozygous for mutations in CDH23 and PCDH15, indicating a digenic inheritance pattern.,disease:Defects in CDH23 are the cause of non-syndromic sensorineural deafness autosomal recessive type 12 (DFNB12) [MIM:601386]. DFNB12 is a form of sensorineural hearing loss. Sensorineural deafness results from damage to the neural receptors of the inner ear, the nerve pathways to the brain, or the area of the brain that receives sound information.,disease:Defects in CDH23 are the cause of Usher syndrome type 1D (USH1D) [MIM:601067]. USH is a genetically heterogeneous condition

Nanjing BYabscience technology Co.,Ltd



characterized by the association of retinitis pigmentosa and sensorineural deafness. Age at onset and differences in auditory and vestibular function distinguish

Background

This gene is a member of the cadherin superfamily, whose genes encode calcium dependent cell-cell adhesion glycoproteins. The encoded protein is thought to be involved in stereocilia organization and hair bundle formation. The gene is located in a region containing the human deafness loci DFNB12 and USH1D. Usher syndrome 1D and nonsyndromic autosomal recessive deafness DFNB12 are caused by allelic mutations of this cadherin-like gene. Upregulation of this gene may also be associated with breast cancer. Alternative splice variants encoding different isoforms have been described. [provided by RefSeq, May 2013],



matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Immunofluorescence analysis of HeLa cells, using CDH23 Antibody. The picture on the right is blocked with the synthesized peptide.