



Cadherin-24 Polyclonal Antibody

Catalog NoBYab-16933IsotypeIgGReactivityHuman;MouseApplicationsIF;WB;ELISAGene NameCDH24Protein NameCadherin-24ImmunogenThe antiserum was produced against synthesized peptide derived from hu CDH24. AA range:81-130SpecificityCadherin-24 Polycional Antibody detects endogenous levels of Cadherin- protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azid SourcePolycional, Rabbit.IgGPurificationDilutionWB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. N tested in other applications.Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsCDH24; CDH11L; Cadherin-24Observed BandCell membrane ; Single-pass type I membrane protein .Tissue SpecificityBlood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid,Functionfunction:Cadherins are calcium dependent cell adhesion proteins proteinal; function:Cadherins are calcium dependent cell adhesion proteins proteins mark this contribule to the sorting of the sorting cell types		
ReactivityHuman;MouseApplicationsIF;WB;ELISAGene NameCDH24Protein NameCadherin-24ImmunogenThe antiserum was produced against synthesized peptide derived from ht CDH24. AA range:81-130SpecificityCadherin-24 Polyclonal Antibody detects endogenous levels of Cadherin- protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azid SourcePurificationThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. N tested in other applications.Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsCDH24; CDH11L; Cadherin-24Observed BandCell membrane ; Single-pass type I membrane protein .Tissue SpecificityBlood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid,Functionfunction:Cadherins are calcium dependent cell adhesion proteins proteins, function:Cadherins are calcium dependent cell adhesion proteins proteins, are a calcium dependent cell adhesion proteins proteins, are a calcium dependent cell adhesion proteins proteins, are calcium dependent cell adhesion proteins		
Applications IF;WB;ELISA Gene Name CDH24 Protein Name Cadherin-24 Immunogen The antiserum was produced against synthesized peptide derived from hu CDH24. AA range:81-130 Specificity Cadherin-24 Polyclonal Antibody detects endogenous levels of Cadherin- protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azid Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. N tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins., function:Cadherins are calcium dependent cell adhesion proteins. a homophilic menner in connection		
Gene Name CDH24 Protein Name Cadherin-24 Immunogen The antiserum was produced against synthesized peptide derived from hu CDH24. AA range:81-130 Specificity Cadherin-24 Polyclonal Antibody detects endogenous levels of Cadherin- protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azid Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Nu tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins proteins, function:Cadherins are calcium dependent cell adhesion proteins in connection		
Protein Name Cadherin-24 Immunogen The antiserum was produced against synthesized peptide derived from hu CDH24. AA range:81-130 Specificity Cadherin-24 Polyclonal Antibody detects endogenous levels of Cadherin-protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azic Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. N tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homoohilic manner in connectin proteins preferentially interact with themselves in a homoohilic manner in connection		
ImmunogenThe antiserum was produced against synthesized peptide derived from ht CDH24. AA range:81-130SpecificityCadherin-24 Polyclonal Antibody detects endogenous levels of Cadherin- protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azid SourcePurificationThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Nt tested in other applications.Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsCDH24; CDH11L; Cadherin-24Observed BandCell membrane ; Single-pass type I membrane protein .Tissue SpecificityBlood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid,Functionfunction:Cadherins are calcium dependent cell adhesion proteins, function:Cadherins are calcium dependent cell adhesion proteins are calcium dependent cell adhesion proteins proteins.		
CDH24. AA range:81-130 Specificity Cadherin-24 Polyclonal Antibody detects endogenous levels of Cadherin-protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azid Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Notested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins are calcium dependent cell adhesion proteins proteins proteins are calcium dependent cell adhesion		
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azic Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Nutested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins proteins, function:Cadherins are calcium dependent cell adhesion proteins proteins, function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connection		from human
Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Netested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins, function:Cadherins are calcium dependent cell adhesion proteins proteins, function:Cadherins are calcium dependent cell adhesion proteins proteins, function:Cadherins are calcium dependent cell adhesion proteins proteins.	yclonal Antibody detects endogenous levels of Ca	dherin-24
Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Notested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connection	ntaining 50% glycerol, 0.5% BSA and 0.02% sodi	um azide.
affinity-chromatography using epitope-specific immunogen. Dilution WB 1:500-2000 Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Netested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connecting the function in the functin the functin the function in the function in the fun	pit,IgG	
tested in other applications.Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsCDH24; CDH11L; Cadherin-24Observed BandCell membrane ; Single-pass type I membrane protein .Cell PathwayCell membrane ; Single-pass type I membrane protein .Tissue SpecificityBlood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid,Functionfunction:Cadherins are calcium dependent cell adhesion proteins.Functionfunction:Cadherins are calcium dependent cell adhesion proteins.		
Purity ≥90% Storage Stability -20°C/1 year Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell Pathway Cell Pathway Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins ., function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connection		0000. Not yet
Storage Stability-20°C/1 yearSynonymsCDH24; CDH11L; Cadherin-24Observed BandCell PathwayCell PathwayCell membrane ; Single-pass type I membrane protein .Tissue SpecificityBlood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid,Functionfunction:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins.		
Synonyms CDH24; CDH11L; Cadherin-24 Observed Band Cell Pathway Cell Pathway Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins.		
Observed Band Cell Pathway Cell membrane ; Single-pass type I membrane protein . Tissue Specificity Blood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid, Function function:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins. preferentially interact with themselves in a homophilic manner in connection		
Cell PathwayCell membrane ; Single-pass type I membrane protein .Tissue SpecificityBlood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid,Functionfunction:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connecting	L; Cadherin-24	
Tissue SpecificityBlood,Colon,HeLa cells,Placenta,Salivary gland,Testis,Thyroid,Functionfunction:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connecting		
Function function:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connecting	Single-pass type I membrane protein .	
proteins., function: Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connecting	La cells,Placenta,Salivary gland,Testis,Thyroid,	
Cadherin-24 mediate strong cell-cell adhesion.,similarity:Contains 5 cadhe domains.,subunit:Associates with alpha-, beta- and delta-catenins.,	n:Cadherins are calcium dependent cell adhesion eract with themselves in a homophilic manner in c hus contribute to the sorting of heterogeneous cell diate strong cell-cell adhesion.,similarity:Contains	onnecting cells types. 5 cadherin
Background function:Cadherins are calcium dependent cell adhesion proteins.,function:Cadherins are calcium dependent cell adhesion proteins preferentially interact with themselves in a homophilic manner in connectin cadherins may thus contribute to the sorting of heterogeneous cell types.	n:Cadherins are calcium dependent cell adhesion eract with themselves in a homophilic manner in c	onnecting cells
	abscience technology Co.,Ltd	

网址:www.njbybio.com 官方热线:025-5229-8998 监督电话:15950492658



国内优质抗体供应商


精准的 WB 检测服务 24H 在线服务, 欢迎咨询



Cadherin-24 mediate strong cell-cell adhesion., similarity: Contains 5 cadherin domains., subunit: Associates with alpha-, beta- and delta-catenins.,

matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Immunofluorescence analysis of HepG2 cells, using CDH24 Antibody. The picture on the right is blocked with the synthesized peptide.

Nanjing BYabscience technology Co.,Ltd