



SIPA1 rabbit pAb

Catalog No	BYab-17270
Isotype	IgG
Reactivity	Human, Mouse
Applications	IHC,WB
Gene Name	SIPA1 SPA1
Protein Name	Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating protein Spa-1) (p130 SPA-1)
Immunogen	Synthesized peptide derived from human N-ternal SIPA1
Specificity	This antibody detects endogenous levels of SIPA1 at Human, Mouse
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Rabbit,polyclonal
Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Dilution	WB 1:500-2000 IHC 1:50-200
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Storage Stability Synonyms	-20°C/1 year Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating protein Spa-1) (p130 SPA-1)
	Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating
Synonyms	Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating
Synonyms Observed Band	Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating protein Spa-1) (p130 SPA-1) Nucleus . Cytoplasm, perinuclear region . Endomembrane system; Peripheral
Synonyms Observed Band Cell Pathway	Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating protein Spa-1) (p130 SPA-1) Nucleus . Cytoplasm, perinuclear region . Endomembrane system; Peripheral membrane protein . Mostly localized in the perinuclear membraneous region Expressed in fetal as well as in adult tissues. Expressed abundantly in the lymphoid tissues such as thymus, spleen and peripheral blood lymphocytes and also shows a significant expression in the spinal cord.
Synonyms Observed Band Cell Pathway Tissue Specificity	Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating protein Spa-1) (p130 SPA-1) Nucleus . Cytoplasm, perinuclear region . Endomembrane system; Peripheral membrane protein . Mostly localized in the perinuclear membraneous region Expressed in fetal as well as in adult tissues. Expressed abundantly in the lymphoid tissues such as thymus, spleen and peripheral blood lymphocytes and also shows a significant expression in the spinal cord. GTPase activator for the nuclear Ras-related regulatory proteins Rap1 and Rap2 in vitro, converting them to the putatively inactive GDP-bound state . Affects cell
Synonyms Observed Band Cell Pathway Tissue Specificity Function	Signal-induced proliferation-associated protein 1 (Sipa-1) (GTPase-activating protein Spa-1) (p130 SPA-1) Nucleus . Cytoplasm, perinuclear region . Endomembrane system; Peripheral membrane protein . Mostly localized in the perinuclear membraneous region Expressed in fetal as well as in adult tissues. Expressed abundantly in the lymphoid tissues such as thymus, spleen and peripheral blood lymphocytes and also shows a significant expression in the spinal cord. GTPase activator for the nuclear Ras-related regulatory proteins Rap1 and Rap2 in vitro, converting them to the putatively inactive GDP-bound state . Affects cell

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



ı	Isaq	P S	ua	ae	stic	าทร
u	Jau	C 3	uч	uc.	วแง	ノロコ

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images						

Nanjing BYabscience technology Co.,Ltd