



CD168 Rabbit mAb

Catalog No	BYab-17754
lsotype	lgG
Reactivity	Human,Mouse,Rat
Applications	WB,IHC-P,IP
Gene Name	HMMR
Alternative Names	HMMR; IHABP; RHAMM; Hyaluronan mediated motility receptor; Intracellular hyaluronic acid-binding protein; Receptor for hyaluronan-mediated motility; CD antigen CD168
Research Field	Stem Cells
Product Categories	Primary antibody
Host	Rabbit
Molecular Weight	Calculated MW: 84 kDa; Observed MW: 84 kDa
Clonality	Monoclonal Antibody
Clonality No.	R08-7D4
Dilution	WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/50
Immunogen	A synthesized peptide derived from human CD168
Purification	Affinity Chromatography
Conjugation	Unconjugated
Modification	Unmodified
Form	Liquid
Buffer System	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1 mg/ml
Purity	≥90%
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Background	Involved in cell motility. When hyaluronan binds to HMMR, the phosphorylation of a number of proteins, including PTK2/FAK1 occurs. May also be involved in cellular transformation and metastasis formation, and in regulating extracellular-regulated kinase (ERK) activity.
	Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658






matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images




Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询





Nanjing BYabscience technology Co.,Ltd