



NSE2 Polyclonal Antibody

Catalog No BYab-00465 Isotype IgG Reactivity Human;Rat;Mouse; Applications WB;IHC;IF;ELISA Gene Name FAM84B Protein Name Protein FAM84B Immunogen The antiserum was produced against synthesized peptide derived from human FAM84B. AA range:11-60 Specificity NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Background similarity.Belongs to the FAM84 family., tissue spec		
Reactivity Human;Rat;Mouse; Applications WB;IHC;IF;ELISA Gene Name FAM84B Protein Name Protein FAM84B Immunogen The antiserum was produced against synthesized peptide derived from human FAM84B. AA range:11-60 Specificity NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family, tissue specificity:Expressed in esophageal squamous cell carcinomas, similarity:Belongs to the FAM84 family, tissue specificity:Expressed in esophageal squamous cell carcinomas. Matters needing Avoid repeated freezing and thawing!	Catalog No	BYab-00465
Applications WB;IHC;IF;ELISA Gene Name FAM84B Protein Name Protein FAM84B Immunogen The antiserum was produced against synthesized peptide derived from human FAM84B. AA range:11-60 Specificity NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Isotype	IgG
Gene Name FAM84B Protein Name Protein FAM84B Immunogen The antiserum was produced against synthesized peptide derived from human FAM84B. AA range:11-60 Specificity NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm, plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity: Belongs to the FAM84 family., tissue specificity: Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Reactivity	Human;Rat;Mouse;
Protein Name Protein FAM84B Immunogen The antiserum was produced against synthesized peptide derived from human FAM84B. AA range:11-60 Specificity NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm, plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity: Belongs to the FAM84 family, tissue specificity: Expressed in esophageal squamous cell carcinomas., Background similarity: Belongs to the FAM84 family, tissue specificity: Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Applications	WB;IHC;IF;ELISA
Immunogen The antiserum was produced against synthesized peptide derived from human FAM84B. AA range:11-60 Specificity NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity 290% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas. Background Avoid repeated freezing and thawing!	Gene Name	FAM84B
FAM84B. AA range:11-60 Specificity NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm, plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family., tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Protein Name	Protein FAM84B
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family, tissue specificity:Expressed in esophageal squamous cell carcinomas., Background Avoid repeated freezing and thawing!	Immunogen	
Source Polyclonal, Rabbit, IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Specificity	NSE2 Polyclonal Antibody detects endogenous levels of NSE2 protein.
Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Matters needing Avoid repeated freezing and thawing!	Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen. Dilution WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200 Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Matters needing Avoid repeated freezing and thawing!	Source	Polyclonal, Rabbit,IgG
Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Purification	•
Purity ≥90% Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Dilution	WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/10000 IF 1:50-200
Storage Stability -20°C/1 year Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Concentration	1 mg/ml
Synonyms FAM84B; BCMP101; NSE2; Protein FAM84B; Breast cancer membrane protein 101; Protein NSE2 Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Matters needing Avoid repeated freezing and thawing!	Purity	≥90%
Observed Band 38kD Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Matters needing Avoid repeated freezing and thawing!	Storage Stability	-20°C/1 year
Cell Pathway cytoplasm,plasma membrane, Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Synonyms	•
Tissue Specificity Expressed in esophageal squamous cell carcinomas. Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Observed Band	38kD
Function similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Cell Pathway	cytoplasm,plasma membrane,
esophageal squamous cell carcinomas., Background similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Tissue Specificity	Expressed in esophageal squamous cell carcinomas.
squamous cell carcinomas., matters needing Avoid repeated freezing and thawing!	Function	similarity:Belongs to the FAM84 family.,tissue specificity:Expressed in esophageal squamous cell carcinomas.,
	Background	
	matters needing attention	Avoid repeated freezing and thawing!

Nanjing BYabscience technology Co.,Ltd







Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.


Products Images



Western Blot analysis of Jurkat cells using NSE2 Polyclonal Antibody




Western blot analysis of lysates from Jurkat and HUVEC cells, using FAM84B Antibody. The lane on the right is blocked with the synthesized peptide.




Immunohistochemical analysis of paraffin-embedded human Gastric adenocarcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658







Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 监督电话: 15950492658 官方热线: 025-5229-8998