





Catalog No	BYab-17788
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB
Gene Name	CD68
Alternative Names	CD68; Macrosialin; Gp110; CD68
Research Field	Immunology
<b>Product Categories</b>	Primary antibody
Host	Rabbit
Molecular Weight	Calculated MW: 37 kDa; Observed MW: 37 kDa
Clonality	Monoclonal Antibody
Clonality No.	R04-7E1
Dilution	WB: 1/500-1/1000
Immunogen	A synthesized peptide derived from human CD68
Purification	Affinity Chromatography
Conjugation	Unconjugated
Modification	Unmodified
Form	Liquid
Buffer System	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Concentration	1 mg/ml
Purity	≥90%
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Background	CD68 belongs to a family of acidic, highly glycosylated lysosomal glycoproteins (LGPs) that includes lamp-1 and lamp-2. Play a role in phagocytic activities of tissue macrophages, both in intracellular lysosomal metabolism and extracellular cell-cell and cell-pathogen interactions.

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658








matters needing attention

Avoid repeated freezing and thawing!

**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658