



## JNK Rabbit mAb

Catalog No	BYab-17796
Isotype	IgG
Reactivity	Human,Mouse,Rat,Hamster
Applications	WB,IP,Cited,WB (Chicken,Drosophila)
Gene Name	MAPK8
Alternative Names	Al849689; c Jun N terminal kinase 1; C-JUN kinase 1; c-Jun N-terminal kinase 1; EC 2.7.11.24; JAK 1A; JAK1A; JNK 1; JNK 46; JNK; JNK-46; JNK1A2; JNK21B1/2; MAP kinase 8; MAPK 8; MAPK8; Mitogen activated protein kinase 8; MK08_HUMAN; p54 gamma; PRKM 8; PRKM8; Protein kinase JNK1; Protein kinase; mitogen-activated; 8; SAPK 1; SAPK gamma; SAPK1; Stress activated protein kinase JNK1; Stress-activated protein kinase JNK1; Tyrosine protein kinase JAK1.
Research Field	Signal Transduction
Product Categories	Primary antibody
Host	Rabbit
Molecular Weight	Calculated MW: 48 kDa; Observed MW: 46,54 kDa
Clonality	Monoclonal Antibody
Clonality No.	R09-1G2
Dilution	WB: 1/500-1/1000 IP: 1/20
Immunogen	Recombinant protein of human JNK1
Immunogen Purification	Recombinant protein of human JNK1  Affinity Purified
	·
Purification	Affinity Purified
Purification Conjugation	Affinity Purified Unconjugated
Purification  Conjugation  Modification	Affinity Purified Unconjugated Unmodified
Purification Conjugation Modification Form	Affinity Purified Unconjugated Unmodified Liquid 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and
Purification Conjugation Modification Form Buffer System	Affinity Purified  Unconjugated  Unmodified  Liquid  50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Purification  Conjugation  Modification  Form  Buffer System  Concentration	Affinity Purified  Unconjugated  Unmodified  Liquid  50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA  1 mg/ml

## Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Background

The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Apr 2016]

matters needing attention

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





## **Products Images**



