



AMPK Gamma 1 Mouse mAb

Catalog NoBYab-17811IsotypeIgG1/KappaReactivityHuman,RatApplicationsWBGene NamePRKAG1Alternative NamesAMPKg, PRKAG1	
Reactivity Human,Rat Applications WB Gene Name PRKAG1	
Applications WB Gene Name PRKAG1	
Gene Name PRKAG1	
Alternative Names AMPKg, PRKAG1	
Research Field Cell biology	
Product Categories Primary Antibodies	
Host Mouse	
Molecular Weight Calculated MW: 38 kDa; Observed MW:38 kDa	
Clonality Monoclonal Antibody	
Clonality No. R01-7N-7	
Dilution WB: 1/500-1/1000	
Immunogen Peptide	
Purification Protein G	
Conjugation Unconjugated	
Modification Unmodified	
Form Liquid	
Buffer System Liquid in PBS, Glycerol and BSA	
Concentration 1 mg/ml	
Purity ≥90%	
Storage Store at -20°C. Avoid freeze/thaw cycles.	
Background AMP/ATP-binding subunit of AMP-activated profesensor protein kinase that plays a key role in recometabolism. In response to reduction of intracell energy-producing pathways and inhibits energy-protein, carbohydrate and lipid biosynthesis, as a second control of the control of th	gulating cellular energy lular ATP levels, AMPK activates -consuming processes: inhibits

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



proliferation. AMPK acts via direct phosphorylation of metabolic enzymes, and by longer-term effects via phosphorylation of transcription regulators. Also acts as a regulator of cellular polarity by remodeling the actin cytoskeleton; probably by indirectly activating myosin. Gamma non-catalytic subunit mediates binding to AMP, ADP and ATP, leading to activate or inhibit AMPK: AMP-binding results in allosteric activation of alpha catalytic subunit (PRKAA1 or PRKAA2) both by inducing phosphorylation and preventing dephosphorylation of catalytic subunits. ADP also stimulates phosphorylation, without stimulating already phosphorylated catalytic subunit. ATP promotes dephosphorylation of catalytic subunit, rendering the AMPK enzyme inactive.


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658